

## **Historic, archived document**

**Do not assume content reflects current scientific knowledge, policies, or practices.**



LIBRARY

EXCELSIOR LIBRARIES

★ SEP 1 1938 ★

U. S. Department of Agriculture.

# COOLIDGE

## RARE PLANT GARDENS

### WHOLESALE LIST

#### LINING-OUT STOCK

1938-1939

#### MEMORANDUM

This list has much new material, which will be of real interest to your customers and attract new and desirable prospects. Nothing will make a stronger appeal and increase your sales volume than your reputation for having something unusual to offer, in addition to a well rounded-out line of fresh, well grown general nursery stock.

**TERMS:**—We will allow discounts of 5 per cent for cash with order or C. O. D.; as well as a quantity discount of 5 per cent on orders of 500 or more of one variety.

Packing at actual cost.

Now is the time to plan for an increasing future demand by a careful selection of your lining-out stock for immediate canning, potting and planting.

We feature only quality stock, strictly in accordance with official grades and standards.

**Non-Warranty**—We give no warranty expressed or implied as to description, quality, productiveness, or any other matter, of any nursery stock, trees or plants we sell, other than the original price of the stock at the date of sale.

All orders accepted subject to loss and/or delay through causes beyond our control and will be filled in rotation.

This list cancels all previous issues. Prices subject to change without notice.

PLEASE FILE FOR REFERENCE

# LINING OUT STOCK

F—Fast Growing    M—Medium Growing    SG—Slow Growing

(C) Cuttings

(S) Seedlings

NAME	CLASS	SIZE POTS	PRICE EACH	CUTTINGS OR SEED- LINGS
------	-------	--------------	---------------	-------------------------------

## A

<i>Abelia floribunda</i> (carmine fls.)	F	2"	.08	(C)
<i>Abelia grandiflora</i> (light pink fls.)	F	2 1/4"	.07	(C)
<i>Abelia schumannii</i> (pink fls.)	M	2"	.08	(C)
<i>Abutilon</i> ('yellow' fls.)	M	2"	.08	(C)
<i>Abutilon</i> , (double orange fls.)	M	2"	.08	(C)
<i>Abutilon Coolidgei</i> (pink fls.)	F	2"	.07	(C)
<i>Abutilon megapotamicum</i> (red and yellow fls.)	F	2"	.08	(C)
<i>Acacia Baileyana</i>	M	2"	.08	(S)
<i>Acacia cultriformis</i>	M	2"	.08	(S)
<i>Acacia decurrens</i>	F	2"	.06	(S)
<i>Acacia floribunda</i> (everblooming)	F	2"	.06	(S)
<i>Acacia latifolia</i>	F	2"	.06	(S)
<i>Acacia melanoxylon</i> (Black Acacia)	F	2"	.06	(S)
<i>Acacia podalyriæfolia</i>	M	2"	.08	(S)
<i>Acacia verticillata</i>	F	2"	.06	(S)
<i>Agapanthus umbellatus</i> (rich blue fls.)	M	2 1/2"	.08	(S)
<i>Almond, Flowering</i> (white fls.)	M	2 1/4"	.08	(C)
<i>Almond, Flowering</i> (pink fls.)	M	2 1/4"	.08	(C)
<i>Ampelopsis heterophylla</i> (var. fol.)	M	2 1/4"	.07	(S)
<i>Ampelopsis quinquefolia</i> (Virginia Creeper)	F	2 1/2"	.06	(S)
<i>Antignon leptopus</i> , (vine) ( <i>Rosa de Montana</i> )	M	2 1/2"	.08	(S)
<i>Aralia Sieboldii</i> ( <i>Fatsia japonica</i> )	M	2 1/4"	.08	(S)
<i>Arbutus Unedo</i> dwarf (Strawberry Tree)	M	2"	.09	(S)
<i>Aristea Eckloni</i> (blue fls.)	M	2"	.03	(S)
<i>Aristolochia sipho</i> (Dutchman's Pipe) Vine	F	2 1/4"	.06	(S)
<i>Asparagus plumosus</i>	F	2"	.06	(S)
<i>Asparagus Sprengeri</i>	F	2 1/2"	.08	(S)
<i>Aucuba japonica</i> variegata	SG	2 1/2"	.10	(C)
<i>Azara microphylla</i>	M	2"	.08	(C)

## B

<i>Beloperone guttata</i> (reddish brown bracts.)	M	2"	.08	(C)
<i>Berberis Darwinii</i> (yellow fls.)	M	2"	.08	(C)
<i>Berberis Nevinii</i>	M	2"	.08	(S)
<i>Berberis Sargentiana</i>	M	2 1/4"	.08	(C)
<i>Berberis Thunbergii atropurpurea</i>	M	2"	.08	(C)
<i>Bignonia Chamberlainii</i> (yellow fls) (vine)	M	2"	.09	(C)
<i>Bignonia Cherere</i> (scarlet and yellow fls.)	M	2"	.10	(C)
<i>Bignonia venusta</i> , (vine), (orange fls.)	S	2 1/2"	.10	(C)
<i>Billbergia nutans</i> (blue, green and rose fls.) divisions	SG	3"	.10	
<i>Boronia elatior</i> (rose-red fls.)	M	2"	.09	(C)
<i>Brachychiton discolor</i> , (tree) (pink fls.)	M	2 1/2"	.08	(S)
<i>Buxus sempervirens</i> (English Boxwood)	M	2"	.08	(C)

## C

<i>Callistemon viminalis</i>	F	2"	.08	(S)
<i>Campsidium valdivianum</i> (orange fls.)	M	2 1/4"	.08	(C)
<i>Cantua buxifolia</i> (red-orange fls.)	M	2"	.08	(C)
<i>Carolina cherry</i>	M	2 1/4"	.08	(S)
<i>Carpenteria californica</i> (wht. fls.)	SG	2"	.10	(S)
<i>Ceanothus arboreus</i> (light blue fls.)	M	2"	.08	(S)
<i>Ceanothus cyaneus</i> (dark blue fls.)	M	2"	.08	(S)
<i>Ceanothus thyrsiflorus</i> (blue fls.)	M	2"	.08	(S)
<i>Ceanothus Marie Simon</i> (Fr. hybrid) (pink fls.)	M	2"	.08	(C)
<i>Casuarina stricta</i> (Australian Pine)	F	2"	.07	(S)
<i>Cassia nairobensis</i> (large yellow fls.)	F	2 1/4"	.06	(S)
<i>Cassia tomentosa</i> (yellow fls.)	F	2"	.06	(S)
<i>Ceratostigma Willmottianum</i> (rich blue fls.)	M	2"	.08	(C)
<i>Cerastium tomentosum</i> (snow in Summer)	F	2 1/2"	.06	(C)
<i>Ceratonia Siliqua</i> (Carob)	M	2"	.08	(S)
<i>Cestrum aurantiacum</i> (orange fls.)	F	2"	.07	(C)
<i>Cestrum Parqui</i> (Night Blooming Jasmine)	M	2"	.08	(C)
<i>Chaenomeles</i> (orange fls.)	M	2"	.08	(C)
<i>Chaenomeles japonica</i> (Japanese Flowering Quince) (rose pink fls.)	M	2"	.08	(C)
<i>Choisya ternata</i> (white fls.) (Mexican orange)	M	2 1/4"	.09	(C)
<i>Chorizema grandiflora</i> (orange and red fls.)	M	2"	.08	(C)
<i>Chorizema illicifolium</i> (orange-red fls.)	M	2"	.08	(C)
<i>Chrysanthemum Mawii</i> (pink fls.)	M	2 1/4"	.08	(C)

# LINING OUT STOCK

F—Fast Growing M—Medium Growing SG—Slow Growing

(C) Cuttings

(S) Seedlings

NAME	Class	Size Pots	Price Each	Cuttings or Seed- lings
<i>Cissus rhombifolia</i> (evergreen vine)	M	2 1/4"	.08	(C)
<i>Cissus striata</i> (graceful climber)	M	2"	.08	(C)
<i>Cocculus laurifolius</i>	M	2 1/2"	.08	(C)
<i>Convolvulus Cneorum</i> (white fls.)	M	2"	.08	(C)
<i>Convolvulus mauritanicus</i> (Violet-purple fls.)	F	2 1/4"	.07	(C)
<i>Coprosma Baueri</i>	F	2"	.06	(S)
<i>Cordyline indivisa</i>	M	2"	.08	(S)
<i>Cordyline australis</i> (Dracaena)	M	2"	.08	(S)
<i>Cornus capitata</i> (Evergreen Dogwood)	M	2"	.08	(C)
<i>Coronilla glauca</i> (yellow fls.)	M	2"	.08	(C)
<i>Cotoneaster buxifolia</i>	M	2"	.08	(S)
<i>Cotoneaster Francheti</i> (red fruit)	F	2"	.06	(S)
<i>Cotoneaster horizontalis</i> (bright red ber.)	M	2"	.08	(C)
<i>Cotoneaster microphylla</i> (bright red berries)	M	2"	.08	(S)
<i>Cotoneaster pannosa</i> (red berries)	F	2"	.06	(S)
<i>Cotoneaster pannosa nana</i> (dwarf variety)	M	2"	.08	(S)
<i>Cotoneaster Parnayi</i> (deep red berries)	M	2"	.08	(S)
<i>Cotoneaster salicifolia</i> (red berries)	M	2"	.08	(S)
<i>Crepe Myrtle</i> , (dwarf blue fls.)	M	2"	.08	(C)

## D

<i>Daphne odora</i> (white fls., green fol.)	SG	3"	.20	(C)
<i>Daphne odora</i> (pink fls.-var. fol.)	SG	3"	.20	(C)
<i>Daphne odora</i> (pink fls., green fol.)	SG	3"	.20	(C)
<i>Daphne odora</i> , (wht. fls., green lvs.)	SG	2"	.12	(C)
<i>Daubentonia Tripetii</i> (orange fls.)	M	2 1/2"	.08	(S)
<i>Dianthus</i> , Napoleon III (cerise magenta)	F	2 1/2"	.07	(C)
<i>Dianthus</i> , Ruth Elaine, (rose-pink, dark eye)	F	2 1/2"	.07	(C)
<i>Diosma Reevesii</i> (Breath of Heaven)	M	2"	.08	(C)

## E

<i>Elaeagnus pungens</i> (var. foliage)	M	2 1/2"	.08	(C)
<i>Erica australis</i> (purple fls.)	M	2"	.08	(C)
<i>Erica blanda</i> (deep rose fls.)	M	2"	.08	(C)
<i>Erica coccinea</i> (dwf. red. fls.)	M	2"	.10	(C)
<i>Erica codonodes</i> (white fls.)	M	2"	.08	(C)
<i>Erica cupressina</i> (lilac fls.)	M	2"	.08	(C)
<i>Erica gracilis</i> (white fls.)	M	2"	.08	(C)
<i>Erica Hieliana</i> (salmon coral fls.)	M	2"	.08	(C)
<i>Erica mediterranea</i> (purplish pink fls.)	M	2"	.08	(C)
<i>Erica mediterranea hybrida</i> (purplish pink fls.)	M	2"	.08	(C)
<i>Erica melanthera</i> (rosy-lavender fls.)	M	2"	.08	(C)
<i>Erica melanthera</i> (rose) new	M	2"	.08	(C)
<i>Erica melanthera rubra</i>	M	2"	.08	(C)
<i>Erica persoluta alba</i>	M	2"	.08	(C)
<i>Erica persoluta rosea</i>	M	2"	.08	(C)
<i>Erica Pres. Felix Faure</i> (rosy-red fls.)	M	2"	.08	(C)
<i>Erica regerminans</i> (deep lav. fls.)	M	2"	.08	(C)
<i>Erica regerminans rubra</i>	M	2"	.08	(C)
<i>Escallonia glasnevinensis</i> (pink fls.)	M	2 1/4"	.08	(C)
<i>Escallonia rubra</i>	M	2 1/4"	.08	(C)
<i>Escallonia Montevidensis</i> (white fls.)	M	2"	.08	(C)
<i>Eucalyptus erythronema</i> (pink red fls.)	M	2"	.10	(S)
<i>Eucalyptus ficifolia</i>	M	2"	.08	(S)
<i>Eugenia apiculata</i>	M	2"	.08	(C)
<i>Eugenia Hookerii</i>	F	2"	.06	(S)
<i>Eugenia myrtifolia</i>	F	2"	.06	(S)
<i>Euonymus aureo-marginatus</i>	M	2"	.08	(C)
<i>Euonymus Sieboldianus</i>	M	2"	.08	(S)
<i>Euonymus Pres. Gauthier</i>	M	2 1/4"	.08	(C)
<i>Euonymus mediopictus</i>	M	2"	.08	(C)
<i>Euphorbia splendens</i> (Crown of Thorns)	SG	3"	.15	(C)

## F

<i>Feijoa Coolidgei</i>	M	2 1/4"	.08	(S)
<i>Ficus repens</i> (Vine)	SG	2"	.08	(C)
<i>Fremontia mexicana</i> (large yellow fls.)	M	2 1/4"	.10	(S)

## G

<i>Gardenia</i> —Coolidge, grandiflora type—blooms summer and winter—(under glass) large and tight—splendid for forcing	SG	2"	.15	(C)
<i>Gardenia Veitchii</i>	SG	2"	.10	(C)

## LINING OUT STOCK

F—Fast Growing    M—Medium Growing    SG—Slow Growing

### (C) Cuttings

### (S) Seedlings

Cuttings  
or Seed-  
lings

NAME	Class	Size Pots	Price Each	
Genista Andreana (yellow & crimson fls.)	M	2"	.07	(C)
Genista fragrans (yellow fls.)	F	2"	.06	(C)
Genista monosperma (fragrant white fls.)	M	2½"	.08	(S)
Grevillea robusta (Silk Oak)	F	2"	.06	(S)
Grevillea Thelemanniana (red fls.)	F	2"	.08	(C)
Grewia occidentalis (lavender fls.)	M	2¼"	.08	(C)
Guava, yellow	M	2"	.08	(S)
Guava, red	M	2¼"	.08	(S)

## H

Hakea saligna (white fls.)	F	2½"	.06	(S)
Hardenbergia monophylla, rosea	M	2"	.08	(S)
Hedera Helix (English Ivy)	F	2¼"	.06	(C)
Hedera Helix cordate	F	2½"	.07	(C)
Hedera maderensis (Algerian ivy)	M	2½"	.07	(C)
Helianthemum ocymoides (yellow fls.)	M	2"	.08	(C)
Hibiscus (double pink fls.)	M	2½"	.09	(C)
Hibiscus (single scarlet fls.)	M	2½"	.09	(C)
Hibiscus—Agnes Gault (pink fls.)	M	2½"	.09	(C)
Hibiscus-Peachblow (pink fls.)	M	2½"	.09	(C)
Hypericum Moserianum	F	2"	.07	(C)
Hydrangea, mixed	M	2½"	.08	(C)

## J

Ilex aquifolium (English Holly)	M	2"	.08	(S)
Ilex cornuta (Chinese Holly)	M	2"	.08	(S)
Ilex cornuta (Chinese Holly)	M	2¼"	.10	(C)

## J

Jacaranda mimosifolia (violet-blue fls.)	F	2"	.06	(S)
Jasminum primulinum (yellow fls.)	F	2½"	.06	(C)

## K

Koelreuteria paniculata (Goldenrain Tree)	M	2¼"	.08	(S)
---	---	-----	-----	-----

## L

Laburnum vulgare (Golden-Chain Tree)	M	2¼"	.08	(S)
Lantana, (cream fls.)	F	2"	.06	(C)
Lantana, (pink and yellow fls.) dwarf	F	2"	.06	(C)
Lantana, Jacob Schultz, (orange and red)	F	2½"	.06	(C)
Lantana, lavender trailing	F	2"	.06	(C)
Lantana, (red and orange fls.) dwarf	F	2"	.06	(C)
Lavender, English	F	2½"	.06	(C)
Lemon—dwarf, Chinese	M	2¼"	.10	(C)
Leptospermum Chapmannii (white fls.)	M	2"	.08	(S)
Leptospermum scoparium rosea	M	2"	.10	(C)
Leptospermum laevigatum (white fls.)	F	2"	.07	(S)
Leptospermum Reevesii	F	2"	.08	(S)
Leptospermum scoparium rubra	M	2"	.10	(C)
Leucophyllum texanum	M	2"	.08	(C)
Liquidambar Styraciflua (Sweet Gum)	M	2¼"	.08	(S)

## M

Magnolia grandiflora	M	2¼"	.08	(S)
Mahonia Fortunei (Chinese species)	M	2½"	.08	(C)
Mahonia ilicifolia compacta (finest dwarf variety)	M	2½"	.08	(C)
Malvaviscus grandiflorus (bright red fls.)	M	2"	.08	(C)
Melaleuca nesophila (lavender fls.)	F	2"	.06	(S)
Menziesia alba, Irish Heath (white fls.)	M	2"	.08	(C)
Menziesia polifolia (purple fls.)	M	2"	.08	(C)
Musa Ensete (Abyssinian Banana)	F	3"	.10	(S)
Myrtus communis compacta (white fls.)	M	2¼"	.08	(C)
Myrtus microphylla compacta	M	2"	.08	(C)
Myrtus minima	SG	2"	.10	(C)

## N

Nandina domestica	M	2"	.08	(S)
-------------------	---	----	-----	-----

## O

Oleander (light pink single fls.)	F	2½"	.08	(C)
Oleander, (double pink fls.)	F	2½"	.07	(C)
Oleander, (variegated fol.)	F	2½"	.07	(C)
Oleander, (single red fls.)	F	2½"	.08	(C)
Oleander, (dark pink, single fls.)	F	2½"	.07	(C)
Oleander, Mrs. Roeding (sunset fls.)	F	2½"	.08	(C)
Oleander, Peachblow	F	2½"	.08	(C)
Osmanthus (Olea fragrans)	SG	2¼"	.10	(C)

# LINING OUT STOCK

F—Fast Growing    M—Medium Growing    SG—Slow Growing

(C) Cuttings

(S) Seedlings

NAME	Class	Size Pots	Price Each	Cuttings lings
<b>P</b>				
<i>Parkinsonia aculeata</i> (Jerusalem Thorn Tree)	F	2"	.07	(S)
<i>Philadelphus mexicanus</i> (Fragrant cream fls.)	M	2"	.08	(C)
<i>Photinia arbutifolia</i> (California Holly)	S	2"	.08	(S)
<i>Pimelea decussata</i> (pink fls.)	SG	2"	.10	(C)
<i>Pittosporum eugenioides</i>	F	2"	.06	(S)
<i>Pittosporum phillyraeoides</i> (Willow Pittos)	M	2"	.08	(S)
<i>Pittosporum Ralphii</i>	M	2"	.08	(S)
<i>Pittosporum tenuifolium</i> (nigricans)	F	2"	.06	(C)
<i>Pittosporum Tobira</i>	F	2 1/4"	.06	(S)
<i>Pittosporum undulatum</i>	F	2"	.06	(S)
<i>Plumbago capensis</i> (light blue fls.)	M	2"	.08	(C)
<i>Polygala Dalmaisiana</i> (purple fls.)	F	2"	.06	(C)
Pomegranate, dwarf	F	2"	.06	(S)
<i>Prunus Laurocerasus</i> (English Laurel)	M	2 1/2"	.08	(C)
<i>Pyracantha angustifolia</i>	M	2 1/4"	.08	(S)
<i>Pyracantha formosana</i> (red berries)	M	2 1/2"	.08	(C)
<i>Pyracantha Lalandi</i> (orange berries)	M	2 1/4"	.08	(C)
<i>Pyracantha yunnanensis</i> (red berries)	M	2 1/2"	.08	(C)
<b>Q</b>				
<i>Quercus agrifolia</i> (California Live Oak)	M	2 1/2"	.08	(S)
<i>Quercus Suber</i> , (Cork Oak)	M	2 1/2"	.08	(S)
<b>R</b>				
<i>Rangpur Lime</i>	M	2 1/2"	.10	(C)
<i>Raphiolepis delacourii</i> (pink fls.)	M	2"	.10	(S)
<i>Raphiolepis ovata</i> (white fls.)	M	2 1/4"	.08	(S)
<i>Rhus ovata</i> (Sugar Bush)	M	2"	.08	(S)
<i>Reinwardtia trigyna</i> (Yellow Flax)	M	2 1/4"	.07	(C)
<i>Raphiolepis</i> (Santa Barbara Hybrid)	M	2"	.10	(S)
<i>Rhus integrifolia</i> (Lemonade Berry)	M	2 1/4"	.08	(S)
<i>Ruellia macrantha</i> (pink fls.)	M	2 1/2"	.08	(C)
<b>S</b>				
<i>Scabiosa caucasica</i> (lilac fls.)	F	2 1/2"	.06	(S)
<i>Schinus terebinthifolius</i> (Brazil Pepper)	M	2 1/4"	.08	(S)
<i>Sequoia gigantea</i> (Giant Sequoia)	M	2"	.08	(S)
<i>Solanum jasminoides</i> (vine) (white fls.)	M	2"	.08	(C)
Spanish broom (yellow fls.)	F	2 1/2"	.06	(S)
<i>Solanum Rantonnetii</i> (shrub) dark blue fls.)	M	2"	.08	(C)
<i>Sollya heterophylla</i> (blue fls.)	M	2"	.08	(S)
<i>Spiraea Bumalda</i> (Anthony Waterer)	M	2 1/4"	.08	(S)
<i>Spiraea Vanhouttei</i> (masses white fls.)	F	2"	.07	(C)
<i>Strobilanthes</i> , var.	F	2 1/2"	.06	(C)
<b>T</b>				
<i>Taxus hibernica</i> (Irish Yew)	S	2"	.10	(C)
<i>Taxus hibernica fastigiata</i>	S	2"	.10	(C)
<i>Tecoma capensis</i> (orange fls.) (vine)	M	2 1/2"	.08	(C)
<i>Thunbergia Gibsoni</i> (vine) (orange fls.)	M	2 1/2"	.08	(S)
<b>U</b>				
<i>Ulmus parvifolia</i> (Chinese Evergreen Elm)	M	2 1/4"	.12	(C)
<b>V</b>				
<i>Veronica buxifolia</i>	F	2"	.06	(C)
<i>Viburnum dentatum</i>	M	2 1/4"	.08	(C)
<i>Viburnum japonicum</i> (white fls.)	M	2 1/4"	.08	(C)
<i>Viburnum lucidum</i>	M	2"	.08	(C)
<i>Viburnum odoratissimum</i>	M	2 1/2"	.08	(C)
<i>Viburnum Opulus sterile</i>	M	2 1/2"	.08	(C)
<i>Viburnum rhytidophyllum</i> (tall shrub)	M	2 1/2"	.08	(C)
<i>Viburnum suspensum</i>	M	2 1/2"	.08	(C)
<i>Viburnum Tinus variegatum</i> (pink fls.)	M	2"	.08	(C)
<i>Vinca minor</i>	M	2 1/2"	.08	(C)
<i>Vitis rotundifolia</i> (Muscadine Grape)	M	2 1/4"	.08	(S)
<b>W</b>				
<i>Weigela rosea</i> (pink fls.)	F	2 1/4"	.07	(C)

# LINING OUT STOCK

F—Fast Growing M—Medium Growing SG—Slow Growing

(C) Cuttings

(S) Seedlings

NAME	Class	Size Pots	Price Each	Cuttings or Seed- lings
------	-------	--------------	---------------	-------------------------------

## CONIFERS

### C

<i>Cedrus atlantica</i>	M	2"	.08	(S)
<i>Cedrus Deodara</i>	M	2"	.08	(S)
<i>Chamaecyparis nootkatensis</i>	M	2"	.08	(C)
<i>Cryptomeria globosa compacta</i>	SG	2 1/4"	.09	(C)
<i>Cupressus arizonica</i>	M	2"	.08	(S)
<i>Cupressus Lawsoniana</i>	M	2"	.08	(S)
<i>Cupressus Lawsoniana Alumi</i>	M	2"	.09	(C)
<i>Cupressus sempervirens horizontalis</i>	M	2"	.10	(S)
<i>Cupressus sempervirens</i>	M	2"	.08	(C)

### J

<i>Juniperus hibernica</i>	M	2"	.08	(C)
<i>Juniperus Pfitzeriana</i>	M	2"	.10	(C)
<i>Juniperus sabina tamariscifolia</i>	S	2"	.10	(C)

### L

<i>Libocedrus decurrens</i> (Incense Cedar)	M	2"	.08	(S)
---	---	----	-----	-----

### P

<i>Picea excelsa</i>	M	2"	.08	(S)
<i>Pinus attenuata</i> (Knob Cone Pine)	M	2 1/4"	.08	(S)
<i>Pinus canariensis</i> (Canary Island Pine)	M	2 1/4"	.08	(S)
<i>Pinus Coulteri</i>	M	2 1/2"	.08	(S)
<i>Pinus densiflora</i> (Japanese Red Pine)	M	2"	.09	(S)
<i>Pinus halepensis</i> (Aleppo Pine)	M	2"	.08	(S)
<i>Pinus Mugo</i> (Swiss Mountain Pine)	SG	2"	.10	(S)
<i>Pinus Pinea</i> (Stone Pine)	M	2 1/2"	.09	(S)
<i>Podocarpus elongata</i> (Fern Pine)	M	2"	.10	(C)
<i>Podocarpus macrophylla</i>	M	2 1/2"	.08	(C)

### R

<i>Retinospora leptoclada</i>	M	2"	.08	(C)
<i>Retinospora plumosa</i>	M	2"	.08	(C)

## NOVELTIES

### A

<i>Abutilon speciosum</i> , (copper red fls.)	M	2"	.10	(C)
<i>Aster fruticosa</i> (Shrub Aster) rosy-mauve fls.	M	2"	.08	(S)
<i>Azalea Kurume</i> (strong bushy)	M	3"	.18	(C)
Apple Blossom (pink, single)				
Marpessa (light orchid, single)				
Pheasant (large, lilac, single)				
Pink Beauty (pink dark center, double)				
Santoi (salmon pink, single)				
Salmon Queen (salmon, single)				
Seraphim (pink, double)				
<i>Azalea Kurume</i> (strong bushy)	M	6"	.50	(C)
Apple Blossom (pink, single)				
Evening Star (large white with violet, single)				
Lavender Ledifolia (lavender, single)				
Old Wine (large rose-salmon, single, late)				
Orion (salmon, single)				
Pink Beauty (pink dark center, double)				
Pink Perfection (light pink, single)				
Salmon Queen (salmon, single)				
Santoi (salmon pink, single)				
Salute d'Amour (red, single)				
Seraphim (pink, double)				
Single Salmon				
Single Salmon Pink				
Single Red				

### B

<i>Beaumontia grandiflora</i> (Eastern Lily Vine)	M	2 1/2"	.12	(S)
<i>Bougainvillea Praetoriensis</i> (orange fls.)	M	2 1/2"	.10	(C)
<i>Bouvardia</i> (Coral fls.)	SG	2"	.10	(C)
<i>Bouvardia Humboldti</i> , (white fls.)	SG	2"	.10	(C)
<i>Bouvardia</i> , (light pink fls.)	SG	2"	.10	(C)

# LINING OUT STOCK

F—Fast Growing    M—Medium Growing    SG—Slow Growing

(C) Cuttings

(S) Seedlings

NAME	Class	Size Pots	Price Each	Cuttings or Seed- lings
<b>C</b>				
<i>Calliandra Tweedi</i> (bright red fls.)-----	SG	2½"	.10	(C)
<i>Calothamnus species</i> (red fls.)-----	M	2"	.08	(S)
<i>Chironia ixifera</i> (pink)-----	M	2"	.10	(C)
<i>Clerodendron trichotomum</i> (white fls.)---	M	2½"	.10	(S)
<i>Cyphomandra betacea</i> (Tree-Tomato)-----	F	3"	.03	(S)
<b>D</b>				
<i>Datura</i> (red fls.)-----	F	2½"	.08	(C)
<i>Datura arborea</i> , (Angels Trumpet) (white) -----	M	2½"	.09	(C)
<i>Diosma pulchrum</i> (bright pink fls.)-----	M	2"	.09	(C)
<i>Duranta grandiflora</i> (lilac fls.)-----	M	2"	.08	(C)
<b>E</b>				
<i>Eranthemum pulchellum</i> (blue fls.)-----	M	2½"	.10	(C)
<i>Erica cerinthoides</i> (scarlet tubular fls.)-----	M	2"	.10	(C)
<i>Erica, Karl Menzies</i> (coral pink fls.)-----	M	2"	.10	(C)
<i>Eucalyptus Grassa</i> (yellow fls.)-----	M	2"	.10	(S)
<i>Eucalyptus macrocarpa</i> (bright red fls.)----S	S	2"	.10	(S)
<b>F</b>				
<i>Fatshedera Lizei</i> (cross between Aralia and Ivy) -----	M	2¼"	.10	(C)
<b>G</b>				
<i>Gazania</i> (scarlet fls.) divisions-----	M	2½"	.08	
<i>Gazania</i> (orange fls.)-----	M	2½"	.08	
<i>Gazania</i> (white fls.)-----	M	2½"	.08	
<i>Gazania splendens</i> -----	M	2½"	.08	
<i>Grevillea obtusifolia</i> , trailing (red fls.)---SG	SG	2"	.10	(C)
<b>H</b>				
<i>Hedera Helix crenulata</i> (Dwarf bushy ivy) -----	S	2"	.10	(C)
<i>Holmskioldia sanguinea</i> (Chinese Hat Plant) -----	M	2½"	.08	(C)
<i>Hydrangea, trophee</i> (Fr. hybrid)-----SG	SG	2½"	.10	(C)
<b>I</b>				
<i>Illicium anisatum</i> -----	SG	2"	.10	(S)
<i>Itea ilicifolia</i> (holly-like foliage)-----M	M	2½"	.10	(C)
<b>L</b>				
<i>Loropetalum chinense</i> (white fls.)-----SG	SG	2"	.10	(C)
<b>M</b>				
<i>Melastoma rosea</i> (lavender-pink fls.)-----M	M	2¼"	.10	(C)
<i>Michelia fuscata</i> (banana shrub)-----SG	SG	2½"	.12	(C)
<i>Myrsine africana</i> (for low hedges)-----SG	SG	2"	.10	(C)
<b>P</b>				
<i>Pleroma scandens</i> , (trailing pleroma)---SG	SG	2¼"	.10	(C)
<b>S</b>				
<i>Sophora japonica pendula</i> (Japanese Pagoda Tree) -----	M	2¼"	.09	(S)
<i>Syringa Palibiniana</i> (Korean Lilac)-----M	M	2"	.08	(S)
<b>T</b>				
<i>Ternstroemia japonica</i> (beautiful foliage)---S	S	2½"	.10	(C)
<b>X</b>				
<i>Xylosma senticosum</i> -----	M	2"	.10	(C)

COOLIDGE RARE PLANT GARDENS

889 North Foothill Boulevard

East Pasadena, California

Section 562-P.L.G.R.

*Two Herms*

United States Dept. of Agriculture,

Bureau of Plant Industry,

Washington, D. C.

"*specializing the unusual*"

